



2027

SEED GUIDE




TABLE OF CONTENTS

USG PRODUCER LIST	1-2
ENLIST E3® SOYBEANS	3-4
XTENDFLEX® SOYBEANS	5-6
SOYBEAN AGRONOMICS CHART	7-8
WHEAT PRODUCTS & AGRONOMICS CHART	9-10



3205-C Highway 46 South
Dickson, TN 37055

800-505-3133



www.usgseed.com

like/follow us on

EAST COAST REGION PRODUCERS

1	Boar Branch LLC.	1100 Williams Road, Clarendon, NC 28432	910-840-2935
2	Cashwell & Jones, Inc.	509 NC Hwy 55 W, Mount Olive, NC 28365	919-658-6540
3	Cherry Farms Seed Co., Inc.	11500 NC Highway 94 South, Columbia, NC 27925	252-796-1341
4	Circle Grove Seeds, Inc.	PO Box 280, Belhaven, NC 27810	252-943-3141
5	Dogwood Farms	25286 Austin Road, Albemarle, NC 28001	704-982-8148
6	Earl York, Jr. & Son Farm	3185 Ramseur-Julian Road, Liberty, NC 27298	336-622-2480
7	Eure Seed Farms	1565 New Hope Road, Hertford, NC 27944	252-264-3326
8	Farmers Rest Farm, Inc.	22101 Old Neck Road, Charles City, VA 23030	804-241-5629
9	Featherstone Farm	13941 Genito Road, Amelia, VA 23002	804-370-7210
10	Gerard Seed Co.	1041 E 4th Street, Washington, NC 27889	252-946-8123
11	Harvey Fertilizer & Gas Co.	PO Box 189, Kinston, NC 28502	252-523-9090
12	Hill View Farms, Inc.	1324 Clearview Drive, Danville, VA 24540	434-770-9311
13	Hundley Seed Co.	7936 Tidewater Trail, Champlain, VA 22438	804-443-8206
14	Moore Farm, Inc.	2225 Hall Road, Mount Ulla, NC 28125	704-202-5756
15	Murray Brothers, LLC.	53 Lighthouse Road, Selbyville, DE 19975	302-436-3639
16	R.W. White Farm, LLC.	3004 Seaboard Lane, VA Beach, VA 23456	757-621-0141
17	Renwood Farms, Inc.	17303 Sandy Point Road, Charles City, VA 23030	804-829-2450
18	White Hat Seed Farms, Inc.	102 White Hat Road, Hertford, NC 27944	252-264-2427
19	Willowdale Farms, LLC.	5645 Poole Road, Jefferson, MD 21755	240-529-2742
20	Wimberly Farms, Inc.	10605 Old Princess Anne Road, Princess Anne, MD 21853	410-430-2494

MID-SOUTH REGION PRODUCERS

1	Cain AM Bickley, LLC.	218 Camellia Boulevard, Marshallville, GA 31057	478-967-2291
2	Central Crop Care	1742 KY 3244, Crab Orchard, KY 40419	606-355-0400
3	Clemmons & Hamner Seeds, Inc.	5578 Co. Road 34, Killen, AL 35645	256-757-9996
4	Fandrich Supply Co.	732 Belvidere Road, Belvidere, TN 37306	931-967-3377
5	Huffstetler & Sons Seed	484 Hwy 45 S, Greenfield, TN 38230	731-235-2167
6	Hurt Seed Co., Inc.	1210 Industrial Road, Halls, TN 38040	731-836-7574
7	Simplot Grower Solutions	514 N Sharpe Ave, Cleveland, MS 38732	662-843-7966
8	Thomas Seed Inc.	72 Railroad Street, Arlington, KY 42021	270-655-2121
9	USG Office	3205-C Hwy 46 S, Dickson, TN 37055	800-505-3133

WESTERN REGION PRODUCERS

1	Fuller Seed and Supply	11262 Hwy 49, Poplar Grove, AR 72374	870-829-3461
2	Lumpkins Farms	2785 FM 896, Leonard, TX 75452	903-271-3695



UniSouth Genetics, Inc.

PRODUCERS



Enlist E3[®] SOYBEAN PRODUCTS



USG 7427^{ETS}

NEW Maturity: **4.2**



- STS[®] and salt excluder
- Resistance to SC, FELS, Cercospora, and SDS
- Rps1k Gene for Phytophthora resistance
- Does well on all soil types

Avg. Seeds/lbs.	2, 850
Standability	4
Emergence	4
Plant Height	Medium
Growth Habit	Indeterminate
Growth Type	Semi-Bushy
Flower	Purple
Pubescence	Light Tawny
Pod Color	Brown
Hilum	Black
Southern Root Knot	Susceptible
Frogeye Leaf Spot	Resistant
Stem Canker	Resistant
Salt	Excluder
Phytophthora Root Rot	Rps1k
Soybean Cyst Nematode	R3, MR14
Sudden Death Syndrome	Mod. Resistant

USG 7435^{ET}

Maturity: **4.3**



- Good overall disease package
- Excellent eye appeal
- Good height with standability
- Beat great lines in breeder data

Avg. Seeds/lbs.	3, 200
Standability	4
Emergence	4
Plant Height	Medium-Tall
Growth Habit	Indeterminate
Growth Type	Semi-Bushy
Flower	Purple
Pubescence	Light Tawny
Pod Color	Tan
Hilum	Black
Southern Root Knot	Susceptible
Frogeye Leaf Spot	Resistant
Stem Canker	Resistant
Salt	Includer
Phytophthora Root Rot	Mod. Resistant
Soybean Cyst Nematode	R3, MR14
Sudden Death Syndrome	Mod. Resistant

USG 7456^{ET}

Maturity: **4.5**



- SCN, SC, Rps1k and excluder
- Over 1 bushel better than breeder checks
- #2 in breeder data for East Coast
- Great bean to plant early

Avg. Seeds/lbs.	3, 300
Standability	5
Emergence	5
Plant Height	Medium
Growth Habit	Indeterminate
Growth Type	Semi-Bushy
Flower	White
Pubescence	Light Tawny
Pod Color	Brown
Hilum	Black
Southern Root Knot	Susceptible
Frogeye Leaf Spot	Resistant
Stem Canker	Resistant
Salt	Excluder
Phytophthora Root Rot	Rps1k
Soybean Cyst Nematode	MR3, MR14
Sudden Death Syndrome	Mod. Resistant

USG 7477^{ET}

NEW Maturity: **4.7**



- Salt excluder
- 3 bushels better than USG 7456ET and USG 7463XF
- Resistance to Cercospora, PRR, SDS, and SCN
- Great looking plant

Avg. Seeds/lbs.	2, 850
Standability	5
Emergence	4
Plant Height	Medium
Growth Habit	Indeterminate
Growth Type	Semi-Bushy
Flower	Purple
Pubescence	Light Tawny
Pod Color	Brown
Hilum	Black
Southern Root Knot	Susceptible
Frogeye Leaf Spot	Mod. Susceptible
Stem Canker	Resistant
Salt	Excluder
Phytophthora Root Rot	Susceptible
Soybean Cyst Nematode	R3, MR14
Sudden Death Syndrome	Mod. Resistant

USG 7485^{ETS}

Maturity: **4.8**



- STS[®] herbicide-tolerant trait excluder
- Great on irrigated acres
- Good on coarse to medium soils
- Great FELS, SC, and Rps1k gene

Avg. Seeds/lbs.	3, 200
Standability	3
Emergence	4
Plant Height	Tall
Growth Habit	Indeterminate
Growth Type	Semi-Bushy
Flower	White
Pubescence	Gray
Pod Color	Tan
Hilum	Buff
Southern Root Knot	Mod. Susceptible
Frogeye Leaf Spot	Resistant
Stem Canker	Resistant
Salt	Excluder
Phytophthora Root Rot	Rps1k
Soybean Cyst Nematode	MR3
Sudden Death Syndrome	Mod. Resistant

Rating Scale: 1 - 5, 5 = Best, NA = Not Available



Enlist E3[®]



**COMING
THIS FALL!**

USG 7486ETS

Maturity: **4.8**



STS[®]
herbicide tolerant trait

- Root Knot Nematode resistance
- Stress resistance
- Plant narrow or wide row
- STS[®] herbicide-tolerant trait excluder

Avg. Seeds/lbs.	2, 800
Standability	3
Emergence	4
Plant Height	Medium-Tall
Growth Habit	Indeterminate
Growth Type	Semi-Bushy
Flower	White
Pubescence	Gray
Pod Color	Brown
Hilum	Buff
Southern Root Knot	Mod. Resistant
Frogeye Leaf Spot	Mod. Resistant
Stem Canker	Mod. Resistant
Salt	Excluder
Phytophthora Root Rot	Rps1c
Soybean Cyst Nematode	MR3, R14
Sudden Death Syndrome	Mod. Resistant

USG 7497ETS

NEW Maturity: **4.9**



STS[®]
herbicide tolerant trait

- Excluder STS[®]
- Rps1c and Rps3a PRR resistance genes
- Root Knot Nematode resistance
- Good resistance to SDS, SCN, FELS, and SC

Avg. Seeds/lbs.	2, 900
Standability	3
Emergence	4
Plant Height	Medium-Tall
Growth Habit	Indeterminate
Growth Type	Semi-Bushy
Flower	White
Pubescence	Gray
Pod Color	Tan
Hilum	Buff
Southern Root Knot	Mod. Resistant
Frogeye Leaf Spot	Mod. Resistant
Stem Canker	Resistant
Salt	Excluder
Phytophthora Root Rot	Rps1c3a
Soybean Cyst Nematode	MR3, MR14
Sudden Death Syndrome	Mod. Resistant

USG 7542ET

Maturity: **5.4**



- Built to yield on the East Coast
- Medium resistance to Root Knot Nematode
- Best on marginal to variable soil types
- Tall variety but stands well

Avg. Seeds/lbs.	2, 900
Standability	4
Emergence	5
Plant Height	Tall
Growth Habit	Indeterminate
Growth Type	Semi-Bushy
Flower	Purple
Pubescence	Gray
Pod Color	Brown
Hilum	Buff
Southern Root Knot	Mod. Resistant
Frogeye Leaf Spot	Mod. Resistant
Stem Canker	Resistant
Salt	Excluder
Phytophthora Root Rot	Mod. Resistant
Soybean Cyst Nematode	R3, MR14
Sudden Death Syndrome	Mod. Resistant

POWERCORE[®]

Enlist[®]

REFUGE ADVANCED[®]

Rating Scale: 1 - 5, 5 = Best, NA = Not Available



XtendFlex[®] SOYBEAN PRODUCTS



USG 7377XF

NEW Maturity: **3.7**



- Performs well on heavy, poorly drained soils
- Resistance to SCN, PRR, BSR, SC, and SDS
- Medium height that stands well
- Handles stress well

Avg. Seeds/lbs.	3,400
Standability	3
Emergence	4
Plant Height	Medium
Growth Habit	Indeterminate
Growth Type	Semi-Bushy
Flower	White
Pubescence	Light Tawny
Pod Color	Brown
Hilum	Black
Southern Root Knot	Susceptible
Frogeye Leaf Spot	NA
Stem Canker	Resistant
Salt	Includer
Phytophthora Root Rot	Rps1c
Soybean Cyst Nematode	MR3, MR14
Sudden Death Syndrome	Mod. Resistant

USG 7435XFS

Maturity: **4.3**



- Shatterproof
- Strong emergence
- Handles stress well
- Can handle high input

Avg. Seeds/lbs.	2,750
Standability	4
Emergence	5
Plant Height	Medium-Tall
Growth Habit	Indeterminate
Growth Type	Semi-Bushy
Flower	White
Pubescence	Light Tawny
Pod Color	Brown
Hilum	Black
Southern Root Knot	Mod. Susceptible
Frogeye Leaf Spot	Resistant
Stem Canker	Mod. Resistant
Salt	Includer
Phytophthora Root Rot	MS
Soybean Cyst Nematode	MR3, MR14
Sudden Death Syndrome	Mod. Resistant

USG 7457XFS

NEW Maturity: **4.5**



- Excellent standability for a medium-tall plant
- Sulfonylurea-ready with excluder
- Outperforms USG 7461XFS by 2 bushels
- Excellent eye appeal

Avg. Seeds/lbs.	2,950
Standability	4
Emergence	4
Plant Height	Medium-Tall
Growth Habit	Indeterminate
Growth Type	Bushy
Flower	Purple
Pubescence	Light Tawny
Pod Color	Brown
Hilum	Black
Southern Root Knot	Susceptible
Frogeye Leaf Spot	Mod. Resistant
Stem Canker	Resistant
Salt	Includer
Phytophthora Root Rot	Rps1a
Soybean Cyst Nematode	R3, MR14
Sudden Death Syndrome	Mod. Resistant

USG 7476XF

Maturity: **4.7**



- Tall and stands
- Handles stress well
- Great against FELS, Stem Canker, and SDS
- Low or high yield acres

Avg. Seeds/lbs.	2,950
Standability	3
Emergence	4
Plant Height	Tall
Growth Habit	Indeterminate
Growth Type	Semi-Bushy
Flower	White
Pubescence	Light Tawny
Pod Color	Tan
Hilum	Black
Southern Root Knot	Mod. Susceptible
Frogeye Leaf Spot	Resistant
Stem Canker	Resistant
Salt	Includer
Phytophthora Root Rot	MR
Soybean Cyst Nematode	R3, MR14
Sudden Death Syndrome	Mod. Resistant

USG 7474XFS

Maturity: **4.7**



- Fits all of the USG footprint
- Sulfonylurea-ready herbicide-tolerant trait and excluder!
- PRR, SDS, and Stem Canker resistance
- Pods up like a boss!

Avg. Seeds/lbs.	2,700
Standability	4
Emergence	4
Plant Height	Medium-Tall
Growth Habit	Indeterminate
Growth Type	Semi-Bushy
Flower	Purple
Pubescence	Light Tawny
Pod Color	Tan
Hilum	Black
Southern Root Knot	Susceptible
Frogeye Leaf Spot	Mod. Susceptible
Stem Canker	Resistant
Salt	Excluder
Phytophthora Root Rot	HRps1c
Soybean Cyst Nematode	R3, MR14
Sudden Death Syndrome	Mod. Resistant

Rating Scale: 1 - 5, 5 = Best, NA = Not Available



USG 7487XFS

Maturity: **4.8**



- Sulfonyleurea-ready herbicide-tolerant trait excluder
- Can plant early or double crop
- Great height that stands
- Great on high yield acres

Avg. Seeds/lbs.	2, 800
Standability	5
Emergence	5
Plant Height	Tall
Growth Habit	Indeterminate
Growth Type	Semi-Bushy
Flower	Purple
Pubescence	Light Tawny
Pod Color	Tan
Hilum	Black
Southern Root Knot	Mod. Susceptible
Frogeye Leaf Spot	Resistant
Stem Canker	Mod. Resistant
Salt	Excluder
Phytophthora Root Rot	Rps1c
Soybean Cyst Nematode	R3, MR14
Sudden Death Syndrome	Mod. Resistant

USG 7495XFS

Maturity: **4.9**



- Great double crop choice
- Handles wet feet well
- Great on mixed to heavier soils
- Sulfonyleurea-ready herbicide-tolerant trait with SCN, SC, and Rps1c

Avg. Seeds/lbs.	2, 750
Standability	3
Emergence	4
Plant Height	Tall
Growth Habit	Indeterminate
Growth Type	Semi-Bushy
Flower	Purple
Pubescence	Light Tawny
Pod Color	Brown
Hilum	Black
Southern Root Knot	Mod. Susceptible
Frogeye Leaf Spot	Mod. Resistant
Stem Canker	Resistant
Salt	Includer
Phytophthora Root Rot	Rps1c
Soybean Cyst Nematode	MR3, MR14
Sudden Death Syndrome	Mod. Resistant

USG 7496XFS

Maturity: **4.9**



- #1 in USG Advanced Lines Test
- Sulfonyleurea-ready herbicide-tolerant trait that excels in tough environments
- Double crop bean that excels on clays
- Excellent standability

Avg. Seeds/lbs.	3, 300
Standability	4
Emergence	5
Plant Height	Medium
Growth Habit	Indeterminate
Growth Type	Semi-Bushy
Flower	Purple
Pubescence	Light Tawny
Pod Color	Tan
Hilum	Black
Southern Root Knot	Susceptible
Frogeye Leaf Spot	Mod. Resistant
Stem Canker	Resistant
Salt	Includer
Phytophthora Root Rot	Rps1c
Soybean Cyst Nematode	R3, MR14
Sudden Death Syndrome	Mod. Resistant

USG 7543XF

Maturity: **5.4**



- Great Frogeye and Cercospora resistance
- Metribuzin tolerant
- Top 10 in VA, NC, SC, AL, and AR
- The best early 5 XtendFlex® soybean out there!

Avg. Seeds/lbs.	2, 900
Standability	5
Emergence	5
Plant Height	Medium
Growth Habit	Indeterminate
Growth Type	Semi-Bushy
Flower	Purple
Pubescence	Gray
Pod Color	Brown
Hilum	Imp. Black
Southern Root Knot	Susceptible
Frogeye Leaf Spot	Mod. Resistant
Stem Canker	Resistant
Salt	Includer
Phytophthora Root Rot	Rps1a
Soybean Cyst Nematode	Susceptible
Sudden Death Syndrome	Mod. Resistant

USG 7633XF

Maturity: **6.3**



- Top-end yield punch
- Top 10 in Georgia and North Carolina
- Metribuzin tolerant
- Built to yield on the East Coast


Avg. Seeds/lbs.	2, 900
Standability	4
Emergence	5
Plant Height	Medium
Growth Habit	Determinate
Growth Type	Semi-Bushy
Flower	White
Pubescence	Light Tawny
Pod Color	Brown
Hilum	Black
Southern Root Knot	Mod. Susceptible
Frogeye Leaf Spot	Mod. Resistant
Stem Canker	Mod. Resistant
Salt	Includer
Phytophthora Root Rot	Susceptible
Soybean Cyst Nematode	MR3
Sudden Death Syndrome	Mod. Susceptible

Rating Scale: 1 - 5, 5 = Best, NA = Not Available

Soybean AGRONOMICS



Brand	NEW	Relative Maturity	Herbicide Trait	Avg. Seeds/lbs.	Standability	Emergence	Plant Height	Growth Habit	Growth Type	Flower	Pubescence	Pod Color	Hilum	Southern Root Knot	Frogeye Leaf Spot	Stem Canker	Salt	Phytophthora Root Rot	Soybean Cyst Nematode	Sudden Death Syndrome
ENLIST E3® SOYBEANS																				
USG 7427ETS	NEW	4.2	Enlist/STS*	2,850	4	4	Medium	I	Semi-Bushy	Purple	Light Tawny	Brown	Black	S	R	R	EXC	Rps1k	R3, MR14	MR
USG 7435ET		4.3	Enlist	3,200	4	4	Medium-Tall	I	Semi-Bushy	Purple	Light Tawny	Tan	Black	S	R	R	INC	MR	R3, MR14	MR
USG 7455ERK	NEW	4.5	Enlist	3,000	4	5	Medium-Tall	I	Semi-Bushy	White	Light Tawny	Brown	Black	R	MR	R	INC	MS	S	MR
USG 7456ET		4.5	Enlist	3,300	5	5	Medium	I	Semi-Bushy	White	Light Tawny	Brown	Black	S	R	R	EXC	Rps1k	MR3, MR14	MR
USG 7466ETS		4.6	Enlist/STS*	3,300	5	5	Medium-Tall	I	Semi-Bushy	White	Tawny	Brown	Brown	MS	MR	R	EXC	MS	R3, MR13	MR
USG 7472ETS		4.7	Enlist/STS*	2,700	5	4	Medium	I	Semi-Bushy	White	Gray	Tan	Buff	S	MR	R	INC	Rps1a	S	MR
USG 7477ET	NEW	4.7	Enlist	2,850	5	4	Medium	I	Semi-Bushy	Purple	Light Tawny	Brown	Black	S	MS	R	EXC	S	R3, MR14	MR
USG 7478ETS	NEW	4.7	Enlist/STS*	2,800	3	5	Medium	I	Semi-Bushy	Purple	Light Tawny	Brown	Black	S	MR	R	INC	Rps1a	MR3, MR14	MR
USG 7485ETS		4.8	Enlist/STS*	3,200	3	4	Tall	I	Semi-Bushy	White	Gray	Tan	Buff	MR	R	R	EXC	Rps1k	MR3	MR
USG 7486ETS		4.8	Enlist/STS*	2,800	3	4	Medium-Tall	I	Semi-Bushy	White	Gray	Brown	Buff	MR	MR	MR	EXC	Rps1c	MR3, R14	MR
USG 7494ETS		4.9	Enlist/STS*	3,100	4	5	Medium-Tall	I	Semi-Bushy	White	Gray	Brown	Buff	S	MR	R	EXC	Rps1c	R3, MR14	MR
USG 7497ETS	NEW	4.9	Enlist/STS*	2,900	3	4	Medium-Tall	I	Semi-Bushy	White	Gray	Tan	Buff	MR	MR	R	EXC	Rps1c3a	MR3, MR14	MR
USG 7514ET		5.1	Enlist	3,300	4	5	Medium-Tall	I	Semi-Bushy	White	Gray	Brown	Buff	S	MR	R	INC	Rps1c	R3, MR14	MR
USG 7542ET		5.4	Enlist	2,900	4	5	Tall	I	Semi-Bushy	Purple	Gray	Brown	Buff	MR	MR	R	EXC	MR	R3, MR14	MR
XTENDFLEX® SOYBEANS																				
USG 7377XF	NEW	3.7	RR2XF/SR	3,400	3	4	Medium	I	Semi-Bushy	White	Light Tawny	Brown	Black	S	NA	R	INC	Rps1c	MR3, MR14	MR
USG 7435XFS		4.3	RR2XF/SR	2,750	4	5	Medium-Tall	I	Semi-Bushy	White	Light Tawny	Brown	Black	MS	R	MR	INC	MS	MR3, MR14	MR
USG 7457XFS	NEW	4.5	RR2XF/SR	2,950	4	4	Medium-Tall	I	Bushy	Purple	Light Tawny	Brown	Black	S	MR	R	INC	Rps1a	R3, MR14	MR
USG 7463XF		4.6	RR2XF	3,000	4	4	Medium	I	Semi-Bushy	Purple	Gray	Brown	Imp. Black	S	MR	R	INC	Rps1c	S	MR
USG 7476XF		4.7	RR2XF	2,950	3	4	Tall	I	Semi-Bushy	White	Light Tawny	Tan	Black	MS	R	R	INC	MR	R3, MR14	MR
USG 7474XFS		4.7	RR2XF/SR	2,700	4	4	Medium-Tall	I	Semi-Bushy	Purple	Light Tawny	Tan	Black	S	MS	R	EXC	HRps1c	R3, MR14	MR
USG 7487XFS		4.8	RR2XF/SR	2,800	5	5	Tall	I	Semi-Bushy	Purple	Light Tawny	Tan	Black	MS	R	MR	EXC	Rps1c	R3, MR14	MR
USG 7488XFS	NEW	4.8	RR2XF/SR	2,600	3	5	Medium-Tall	I	Semi-Bushy	Purple	Light Tawny	Tan	Black	MR	MS	R	EXC	Rps1c	R3, MR14	MR
USG 7495XFS		4.9	RR2XF/SR	2,750	3	4	Tall	I	Semi-Bushy	Purple	Light Tawny	Brown	Black	MS	MR	R	INC	Rps1c	MR3, MR14	MR
USG 7496XFS		4.9	RR2XF/SR	3,300	4	5	Medium	I	Semi-Bushy	Purple	Light Tawny	Tan	Black	S	MR	R	INC	Rps1c	R3, MR14	MR
USG 7543XF		5.4	RR2XF	2,900	5	5	Medium	I	Semi-Bushy	Purple	Gray	Brown	Imp. Black	S	MR	R	INC	Rps1a	S	MR
USG 7547XF	NEW	5.4	RR2XF	2,700	4	4	Medium-Tall	D	Semi-Bushy	White	Tawny	Brown	Black	R	MR	R	EXC	S	Peking	MR
USG 7633XF		6.3	RR2XF	2,900	4	5	Medium	D	Semi-Bushy	White	Light Tawny	Brown	Black	MS	MR	MR	INC	S	MR3	MS
USG 7682XF		6.8	RR2XF	3,000	3	5	Medium	D	Semi-Bushy	Purple	Tawny	Tan	Black	S	MS	R	EXC	S	S	MS



Seed containing a patented trait can only be used to plant a single commercial crop. It is unlawful to save and replant Roundup Ready 2 Yield® soybeans, Roundup Ready 2 Xtend® soybeans, and XtendFlex® soybeans. Additional information and limitations on the use of these products are provided in the Technology Stewardship Agreement and the Bayer Technology Use Guide: tug.bayer.com. U.S. patents for Bayer technologies can be found at the following webpage: cs.bayerpatents.bayer.com.

Bayer is a member of Excellence Through Stewardship® (ETS). Bayer products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Bayer's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. Commercialized products have been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from this product can only be exported to, or used, processed or sold in countries where all applicable regulatory approvals have been granted. It is a violation of national and international law to move material containing Bt traits across boundaries into nations where import is not permitted. Growers should carefully read their grain labels and product packaging to confirm their identification for this product. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

Roundup Ready² LIBERTY LINK[™]

Roundup Ready[®] Technology contains genes that confer tolerance to glyphosate. Roundup Ready² Technology contains genes that confer tolerance to glyphosate. Roundup Ready² Xtend[™] soybeans contain genes that confer tolerance to glyphosate and dicamba. Products with XtendFlex[™] Technology contains genes that confer tolerance to glyphosate, glufosinate and dicamba. Plants that are not tolerant to glyphosate, dicamba, and/or glufosinate may be damaged or killed if exposed to those herbicides. Contact your seed brand dealer or refer to the Bayer Technology Use Guide for recommended weed control programs. Acceleron[™], Roundup Ready² Xtend[™], Roundup Ready² Yield[™], Roundup Ready[™] and XtendFlex[™] are registered trademarks of Bayer Group. LibertyLink[™] logo[™] and LibertyLink[™] are trademarks of BASF Corporation.

Seeds containing the PowerCore® Enlist®, PowerCore® Enlist® Refuge Advanced®, Enlist® Corn - REFUGE and Enlist E3® traits are protected under one or more U.S. patents which can be found at www.traistewardship.com.

Enlist E3® soybean seeds containing the Enlist® trait can only be used to plant a single commercial crop. It is unlawful to save and replant Enlist E3 soybeans. Additional information and limitations on the use of these products are provided in the Corteva Agriscience Technology Use Agreement and Enlist® Soybean Product Use Guide. U.S. patents for Corteva Agriscience technologies can be found at www.traitstewardship.com

Corteva Agriscience is a member of Excellence Through Stewardship® (ETS). Corteva Agriscience products are commercialized in accordance with ETS Product Launch Stewardship Guidance and in compliance with the Corteva Agriscience policies regarding stewardship of those products. In line with these guidelines, our product launch process for responsible launches of new products includes a longstanding process to evaluate expert market information, value chain consultations, and regulatory functionality. Growers and end-users must take all steps within their control to follow appropriate stewardship requirements and confirm their buyer's acceptance of the grain or other material being purchased. For more detailed information on the status of a trait or stock, please visit www.biotechstatus.com. Excellence Through Stewardship® is a registered trademark of Global Stewardship Group.



Properly managing trait technology is key to preserving it as a long term crop protection tool. **Growers who fail to comply with IRM requirements risk losing access to this product.** To help preserve the effectiveness of *Bt* corn technologies, growers planting *Bt* corn technologies are required to follow an IRM plan. Consult the Corn Product Use Guide for appropriate refuge configurations.

Before opening a bag of seed, be sure to read, understand and accept the stewardship requirements, including applicable refuge requirements for insect resistance management, for the biotechnology traits expressed in the seed as set forth in the Technology Use Agreement and Product Use Guide. By opening and using a bag of seed, you are reaffirming your obligation to comply with the most recent stewardship requirements for Corn Product details on IRM requirements for hybrids with *Bt* technology, including refuge examples and important information on the use of insecticides on refuge and *Bt* corn acres, please consult appropriate Product Use Guide. Go to www.traitsewardship.com to download the latest *Corteva Agriscience* Corn Product Use Guide.

 Enlist Duo® and Enlist One® herbicides with Colex-D® technology are the only herbicides containing 2, 4-D that are authorized for preemergence and postemergence use with Enlist® crops. Enlist Duo and Enlist One herbicides are not registered for use or sale in all states and counties; are not registered in AK, CA, CT, HI, MD, MA, ME, MT, NH, NV, OR, RI, UT, VT, WA and WY. Contact your state pesticide regulatory agency if you have questions about the registration status of Enlist® herbicides in your area. **ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USE IN THE STATE AND COUNTY OF APPLICATION. USE OF PESTICIDE PRODUCTS, INCLUDING, WITHOUT LIMITATION, 2, 4-D-CONTAINING PRODUCTS NOT AUTHORIZED FOR SUCH USE, IS PROHIBITED.**

WITH ENLIST CROPS, MAY RESULT IN OFF-TARGET DAMAGE TO SENSITIVE CROPS/AREAS AND/OR SUSCEPTIBLE PLANTS. Additional product-specific stewardship requirements for Enlist crops, including the Enlist Product Use Guide, can be found at www.traistewardship.com. The transgenic soybean event in Enlist E3[®] soybean is jointly developed and owned by Corteva Agriscience and M.S. Technologies, L.L.C. [™] Trademarks of Corteva Agriscience and its affiliated companies.

POWERCORE® multi-event technology developed by Corteva Agriscience LLC and Monsanto. LibertyLink® and the Water Droplet Design are registered trademarks of BASF. PowerCore® and Roundup Ready® are registered trademarks of Bayer Group. Always follow IRM, grain marketing and all other stewardship practices and pesticide label directions. *B.t.* products may not yet be registered in all states. Check with your seed representative for the registration status in your state. ® = Trademarks of Corteva Agriscience and its affiliated companies.



Varieties with BOLT® technology provide excellent plant-back flexibility for soybeans following application of sulfonylurea (SU) herbicides such as DuPont™ LeadOff® or DuPont™ Basis® Blend as a component of a burndown program or for double-crop soybeans following SU herbicides such as DuPont™ Finesse® applied to wheat the previous fall.

STS® herbicide tolerant trait used only over-the-top of crops that have a different and specified herbicide resistant gene. Always read and follow herbicide directions prior to use.

Not all herbicides are registered for sale or use in all states or counties in the United States or all provinces in Canada. Contact your local regulatory agency to determine if a product is registered for sale or use in your area. Always read and follow label directions.

ACCIDENTAL APPLICATION OF INCOMPATIBLE HERBICIDES TO THIS VARIETY COULD RESULT IN TOTAL CROP LOSS. YOU MUST SIGN A TECHNOLOGY USE AGREEMENT AND READ THE PRODUCT USE GUIDE PRIOR TO PLANTING.

The purchase of these seeds includes a limited license to produce a single soybean crop in the United States (or other applicable country). The use of seed from such a crop or the progeny thereof for propagation or seed multiplication or for production or development of a hybrid or different variety of seed is strictly prohibited. Resale or transfer of the seed is strictly prohibited. * Trademarks of Corteva Agriscience and its affiliate companies. © 2025

8

UniSouth WHEAT PRODUCTS



USG 3246

NEW

Maturity: **Very-Early**



- Great Straw Strength
- Fhb1 gene for Scab
- Early heading and dry down
- I-20 and North

Heading	Medium-Early
Height	Medium-Short
Head Type	Awnletted
Test Weight	4
Winter Hardiness	3
Standability	2
Tillering	3
Avg. Seeds/lbs.	12, 500
BYDV	3
Stripe Rust	2
Leaf Rust	2
Glume Blotch	4
SBMV	6
Powdery Mildew	2
Scab	4
Septoria Leaf Blotch	3

USG 3437

NEW

Maturity: **Medium-Early**



- QHF7d Hessian Fly resistance
- Bred for the deep South
- High test weight
- Excellent disease package

Heading	Early
Height	Medium-Short
Head Type	Awned
Test Weight	2
Winter Hardiness	2
Standability	2
Tillering	2
Avg. Seeds/lbs.	12, 500
BYDV	2
Stripe Rust	2
Leaf Rust	2
Glume Blotch	3
SBMV	2
Powdery Mildew	2
Scab	2
Septoria Leaf Blotch	3

USG 3447

NEW

Maturity: **Medium**



- Excellent southern data in 2025
- B, C, D Hessian Fly resistance
- #1 in VA 3 Year Mean
- #1 In NC OVT EXP

Heading	Medium
Height	Medium
Head Type	Awned
Test Weight	1
Winter Hardiness	3
Standability	2
Tillering	2
Avg. Seeds/lbs.	11, 000
BYDV	3
Stripe Rust	3
Leaf Rust	3
Glume Blotch	3
SBMV	NA
Powdery Mildew	2
Scab	5
Septoria Leaf Blotch	4

USG 3451

Maturity: **Medium**



- Stripe Rust resistant
- Great anywhere from I-20 and North
- Powdery Mildew resistant
- Smooth-headed wheat

Heading	Medium-Early
Height	Medium
Head Type	Smooth
Test Weight	5
Winter Hardiness	3
Standability	3
Tillering	3
Avg. Seeds/lbs.	11, 000
BYDV	NA
Stripe Rust	2
Leaf Rust	3
Glume Blotch	6
SBMV	5
Powdery Mildew	2
Scab	4
Septoria Leaf Blotch	4

USG 3673

Maturity: **Medium**



- One pound higher test weight than average in breeder trials
- Great resistance to Scab
- Great in the DelMarVa and Pennsylvania region
- Hessian Fly resistant

Heading	Medium-Late
Height	Medium
Head Type	Smooth
Test Weight	3
Winter Hardiness	3
Standability	3
Tillering	4
Avg. Seeds/lbs.	14, 000
BYDV	3
Stripe Rust	3
Leaf Rust	2
Glume Blotch	4
SBMV	4
Powdery Mildew	3
Scab	2
Septoria Leaf Blotch	3

Rating Scale: 1 - 5, 5 = Best, NA = Not Available



USG 3755

Maturity: **Medium-Late**



- Incredible tillering
- Top of class Stripe Rust resistance
- Hessian Fly resistance
- Consistent above mean yield

Heading	Medium
Height	Medium
Head Type	Smooth
Test Weight	2
Winter Hardiness	3
Standability	2
Tillering	1
Avg. Seeds/lbs.	12,000
BYDV	4
Stripe Rust	1
Leaf Rust	5
Glume Blotch	3
SBMV	NA
Powdery Mildew	NA
Scab	4
Septoria Leaf Blotch	3

USG 3777

NEW

Maturity: **Medium-Late**



- Top of class test weight
- Scab FHB1 gene
- Yield gains over 3472, 3363, and 3783
- TN, NC, MO and North.
Great on East Coast

Heading	Medium-Late
Height	Medium-Tall
Head Type	Awned
Test Weight	2
Winter Hardiness	3
Standability	2
Tillering	3
Avg. Seeds/lbs.	11,500
BYDV	3
Stripe Rust	3
Leaf Rust	5
Glume Blotch	3
SBMV	NA
Powdery Mildew	3
Scab	3
Septoria Leaf Blotch	3

USG 3875

Maturity: **Medium-Late**



- B, C, D, and L Hessian Fly resistance
- Excellent FHB resistance
- Above average disease package
- Goes anywhere on I-20 and North

Heading	Medium-Late
Height	Medium
Head Type	Awned
Test Weight	3
Winter Hardiness	2
Standability	2
Tillering	3
Avg. Seeds/lbs.	12,500
BYDV	3
Stripe Rust	2
Leaf Rust	3
Glume Blotch	2
SBMV	2
Powdery Mildew	3
Scab	3
Septoria Leaf Blotch	2

Rating Scale: 1 - 5, 5 = Best, NA = Not Available

UniSouth

	NEW						NEW		NEW	
Brand	USG 3246	USG 3118	USG 3234	USG 3329	USG 3352	USG 3363	USG 3437	USG 3354	USG 3447	USG 3451
Maturity	VE	E	E	ME	ME	ME	ME	M	M	M
Heading	ME	E	M	L	M	ML	E	ME	M	ME
Height	MS	Short	M	M	MT	MT	MS	M	M	M
Head Type	AL	AL	SM	A	A	A	A	SM	A	SM
Avg. Seeds/lbs.	12,500	12,000	12,500	11,500	12,500	11,500	14,000	13,500	11,000	11,000
Test Weight	4	1	2	5	3	2	2	4	1	5
Winter Hardiness	3	4	2	1	2	1	2	4	3	3
Standability	2	2	1	3	3	3	2	5	2	3
Tillering	3	3	2	4	2	3	2	3	2	3
BYDV	3	3	3	3	NA	2	2	4	3	NA
Stripe Rust	2	2	3	2	2	3	2	4	3	2
Leaf Rust	2	2	3	4	3	6	2	2	3	3
Glume Blotch	4	2	3	3	2	2	3	2	3	6
SBMV	6	NA	4	2	4	2	2	NA	NA	5
Powdery Mildew	2	2	4	2	2	2	2	2	2	2
Scab	4	5	3	3	5	2	2	5	5	4
Septoria Leaf Blotch	3	2	4	4	2	3	3	5	4	4


	NEW								
Brand	USG 3463	USG 3472	USG 3640	USG 3661	USG 3673	USG 3755	USG 3777	USG 3875	USG 3884
Maturity	M	M	M	M	M	ML	ML	ML	ML
Heading	ML	ML	M	M	ML	M	ML	ML	ML
Height	M	M	M	MS	M	M	MT	M	M
Head Type	A	A	A	AL	SM	SM	A	A	A
Avg. Seeds/lbs.	12,500	11,000	10,500	13,000	14,000	12,000	11,500	12,500	12,500
Test Weight	4	4	1	2	3	2	2	3	3
Winter Hardiness	3	2	3	2	3	3	2	2	2
Standability	2	2	3	2	3	2	2	2	2
Tillering	3	3	3	3	4	1	3	3	3
BYDV	3	2	3	3	3	4	3	3	3
Stripe Rust	5	2	5	6	3	1	3	2	2
Leaf Rust	3	4	2	3	2	5	4	3	3
Glume Blotch	3	3	4	2	4	3	3	2	2
SBMV	2	2	NA	4	4	NA	NA	2	2
Powdery Mildew	2	3	2	1	3	NA	3	3	3
Scab	2	3	3	4	2	4	3	3	3
Septoria Leaf Blotch	4	4	NA	6	3	3	3	2	2

Rating Scale: 1 - 9, 1 = Best, Medium = M, Medium-Early = ME, Medium-Late = ML, Very Early = VE, Early = E, Late = L, Medium-Tall = MT, Medium-Short = MS, Awned = A, Smooth = SM, Awnletted = AL, Not Available = NA



3205-C Highway 46 South
Dickson, TN 37055

800-505-3133



www.usgseed.com

like/follow us on   

