

2024
SEED GUIDE



UniSouth Genetics, Inc.

USG



UNISOUTH GENETICS, INC.


PRODUCER LIST

WESTERN REGION PRODUCERS

Fuller Seed and Supply 11262 Hwy 49, Poplar Grove, AR 72374	870-829-3461
Lumpkins Farms 2785 FM 896, Leonard, TX 75452	903-271-3695

MID-SOUTH REGION PRODUCERS

Cain AM Bickley, LLC. 218 Camellia Boulevard, Marshallville, GA 31057	478-967-2291
Clemmons & Hamner Seeds, Inc. 5578 Co. Road 34, Killen, AL 35645	256-757-9996
Fandrich Supply Co. 732 Belvidere Road, Belvidere, TN 37306	931-967-3377
GreenPoint Ag Holdings - Alabama 121 Somerville Road NE, Decatur, AL 35609	256-560-2848
GreenPoint Ag Holdings - Tennessee 200 Old Waldron Road, LaVergne, TN 37086	615-793-8504
Huffstetler & Sons Seed Co. 484 Hwy 45 S, Greenfield, TN 38230	731-235-2167
Hurt Seed Co., Inc. 1210 Industrial Road, Halls, TN 38040	731-836-7574
Simplot Grower Solutions 1099 West Front Street, Boise, ID 83702	662-843-7966
Thomas Seed 72 Railroad Street, Arlington, KY 42021	270-655-2121
 USG Office 3205-C Hwy 46 S, Dickson, TN 37055	800-505-3133



EAST COAST REGION PRODUCERS

Boar Branch LLC 1100 Williams Road, Clarendon, NC 28432	910-840-2935
Cashwell & Jones, Inc. 509 NC Hwy 55 W, Mount Olive, NC 28365	919-658-6540
Cherry Farms Seed Co., Inc. 11500 NC Highway 94 South, Columbia, NC 27925	252-796-1341
Clark Seeds, Inc. 1467 Seven Hickories Road, Clayton, DE 19938	302-653-9249
Dogwood Farms 25286 Austin Road, Albemarle, NC 28001	704-982-8148
Earl York & Son 3185 Ramseur-Julian Road, Liberty, NC 27298	336-622-2480
Eure Seed Farms 1565 New Hope Road, Hertford, NC 27944	252-264-3326
Farmers Rest Farm, Inc. 22101 Old Neck Road, Charles City, VA 23030	804-241-5629
Featherstone Farm 13941 Genito Road, Amelia, VA 23002	804-370-7210
Gamble Family Farms 5300 Black River Road, New Zion, SC 29111	803-473-7601
Gerard Seed Co. 1041 E 4th Street, Washington, NC 27889	252-946-8123
Harvey Fertilizer & Gas Co. PO Box 189, Kinston, NC 28502	252-523-9090
Hill View Farms 1324 Clearview Drive, Danville, VA 24540	434-770-9311
Hundley Seed Co, Inc. 7936 Tidewater Trail, Champlain, VA 22438	804-443-8206
Mixon Seed Company Inc. 1438 Joe Jeffords Hwy, Orangeburg, SC 29115	803-531-1777
Moore Farm, Inc. 2225 Hall Road, Mount Ulla, NC 28125	704-278-9531
Murray Brothers LLC. 53 Lighthouse Road, Selbyville, DE 19975	302-436-3639
R.W. White Farm, L.L.C. 1961 Princess Anne Lane, VA Beach, VA 23456	757-621-0141
Renwood Farms, Inc. 17303 Sandy Point Road, Charles City, VA 23030	804-829-2450
White Hat Seed Farms, Inc. 102 White Hat Road, Hertford, NC 27944	252-264-2427
Willowdale Farms 5645 Poole Road, Jefferson, MD 21755	240-529-2742
Wimberly Farms, Inc. 10605 Old Princess Anne Road, Princess Anne, MD 21853	410-430-2494



USG PRODUCER LIST 1-2

ENLIST E3® SOYBEANS 3-4

XTENDFLEX® SOYBEANS..... 5-6

SOYBEAN AGRONOMICS CHART7-8

**WHEAT PRODUCTS
& AGRONOMICS CHART9-10**

USG 7420ETS



STS[®]
Herbicide tolerant trait

Maturity	4.2
Plant Height	Medium
Flower Color	White
Pubescence Color	Gray
Phytophthora Root Rot	S
Frogeye Leaf Spot	Moderately Resistant
Stem Canker	Resistant



ENLIST E3[®] SOYBEAN PRODUCTS

NEW USG 7424ETS



STS[®]
Herbicide tolerant trait

Maturity	4.2
Plant Height	Medium-Tall
Flower Color	White
Pubescence Color	Light Tawny
Phytophthora Root Rot	Rps1k
Frogeye Leaf Spot	Moderately Resistant
Stem Canker	Resistant

USG 7431ET



Maturity	4.3
Plant Height	Medium
Flower Color	White
Pubescence Color	Light Tawny
Phytophthora Root Rot	S
Frogeye Leaf Spot	Moderately Resistant
Stem Canker	Resistant

USG 7451ET



Maturity	4.5
Plant Height	Medium-Tall
Flower Color	Purple
Pubescence Color	Gray
Phytophthora Root Rot	MS
Frogeye Leaf Spot	Moderately Resistant
Stem Canker	Resistant

NEW USG 7464ET



Maturity	4.6
Plant Height	Medium
Flower Color	White
Pubescence Color	Light Tawny
Phytophthora Root Rot	MR
Frogeye Leaf Spot	Moderately Resistant
Stem Canker	Moderately Resistant

Rating Scale: 1 - 5, 5 = Best, (-) = Not Rated, S = Susceptible, MS = Moderately Susceptible, MR = Moderately Resistant, R = Resistant
Growth Habit: I = Indeterminate, D = Determinate • Salt: EXC = Excluder, INC = Includer, HET = Heterozygous

USG 7472ETS



STS[®]
herbicide tolerant trait

Maturity	4.7
Plant Height	Medium
Flower Color	White
Pubescence Color	Gray
Phytophthora Root Rot	Rps1a
Frogeye Leaf Spot	Moderately Resistant
Stem Canker	Resistant

USG 7493ETS



STS[®]
herbicide tolerant trait

Maturity	4.9
Plant Height	Medium-Tall
Flower Color	White
Pubescence Color	Gray
Phytophthora Root Rot	MS
Frogeye Leaf Spot	Moderately Resistant
Stem Canker	Resistant

NEW USG 7494ETS



STS[®]
herbicide tolerant trait

Maturity	4.9
Plant Height	Medium-Tall
Flower Color	White
Pubescence Color	Gray
Phytophthora Root Rot	Rps1c
Frogeye Leaf Spot	Moderately Resistant
Stem Canker	Resistant

NEW USG 7514ET



Maturity	5.1
Plant Height	Medium-Tall
Flower Color	White
Pubescence Color	Gray
Phytophthora Root Rot	Rps1c
Frogeye Leaf Spot	Moderately Resistant
Stem Canker	Resistant

ENLIST[®] WEED CONTROL SYSTEM— PROVEN CONTROL OF TOUGH WEEDS



Enlist Duo[®] and Enlist One[®] herbicides with Colex-D[®] technology are the only herbicides containing 2,4-D that are authorized for preemergence and postemergence use with Enlist E3[®] soybean crops.

2,4-D choline | Glyphosate | Glufosinate



- Convenient proprietary blend of 2,4-D choline and glyphosate
- The two sites of action work together to deliver control of yield-robbing weeds and help prevent resistance



- Straight-goods 2,4-D choline with additional tank-mix flexibility
- Provides additional tank-mix flexibility with Durango[®] DMA[®] herbicide, Liberty[®] herbicide and other qualified tank-mix products, allowing for a customized weed control program to fit each farm

On-Target Application

- 90% less drift than traditional 2,4-D
- 96% less volatile than 2,4-D ester

USG 7542ET



Maturity	5.4
Plant Height	Tall
Flower Color	Purple
Pubescence Color	Gray
Phytophthora Root Rot	MR
Frogeye Leaf Spot	Resistant
Stem Canker	Resistant

Rating Scale: 1 - 5, 5 = Best, (-) = Not Rated, S = Susceptible, MS = Moderately Susceptible, MR = Moderately Resistant, R = Resistant
Growth Habit: I = Indeterminate, D = Determinate • Salt: EXC = Excluder, INC = Includer, HET = Heterozygous



XTENDFLEX[®]

SOYBEAN PRODUCTS

NEW USG 7394XFS



Maturity	3.9
Plant Height	Medium-Tall
Flower Color	Purple
Pubescence Color	Light Tawny
Phytophthora Root Rot	MR
Frogeye Leaf Spot	Moderately Resistant
Stem Canker	Resistant

NEW USG 7434XF



Maturity	4.3
Plant Height	Medium
Flower Color	White
Pubescence Color	Gray
Phytophthora Root Rot	Rps1K
Frogeye Leaf Spot	Moderately Resistant
Stem Canker	Resistant

USG 7461XFS



Maturity	4.6
Plant Height	Tall
Flower Color	Purple
Pubescence Color	Light Tawny
Phytophthora Root Rot	Rps1c
Frogeye Leaf Spot	Susceptible
Stem Canker	Resistant

USG 7463XFS



Maturity	4.6
Plant Height	Medium
Flower Color	Purple
Pubescence Color	Gray
Phytophthora Root Rot	Rps1c
Frogeye Leaf Spot	Moderately Resistant
Stem Canker	Resistant

Rating Scale: 1 - 5, 5 = Best, (-) = Not Rated, S = Susceptible, MS = Moderately Susceptible, MR = Moderately Resistant, R = Resistant
Growth Habit: I = Indeterminate, D = Determinate • Salt: EXC = Excluder, INC = Includer, HET = Heterozygous

NEW USG 7474XFS



Maturity	4.7
Plant Height	Medium-Tall
Flower Color	Purple
Pubescence Color	Light Tawny
Phytophthora Root Rot	HRps1c
Frogeye Leaf Spot	NA
Stem Canker	Resistant

USG 7483XFS



Maturity	4.8
Plant Height	Medium
Flower Color	White
Pubescence Color	Light Tawny
Phytophthora Root Rot	Rps1a
Frogeye Leaf Spot	Moderately Resistant
Stem Canker	Resistant

USG 7543XF



Maturity	5.4
Plant Height	Medium
Flower Color	Purple
Pubescence Color	Gray
Phytophthora Root Rot	Rps1a
Frogeye Leaf Spot	Resistant
Stem Canker	Resistant

NEW USG 7584XF



Maturity	5.8
Plant Height	Medium
Flower Color	White
Pubescence Color	Gray
Phytophthora Root Rot	Rps1k
Frogeye Leaf Spot	Moderately Resistant
Stem Canker	Resistant

USG 7633XF



Maturity	6.3
Plant Height	Medium
Flower Color	White
Pubescence Color	Light Tawny
Phytophthora Root Rot	S
Frogeye Leaf Spot	Moderately Resistant
Stem Canker	Moderately Resistant

USG 7682XF



Maturity	6.8
Plant Height	Medium
Flower Color	Purple
Pubescence Color	Tawny
Phytophthora Root Rot	S
Frogeye Leaf Spot	Moderately Susceptible
Stem Canker	Resistant

CHOOSE RESULTS



TRIPLE-STACKED TOLERANCE FOR MORE FLEXIBILITY

XtendFlex® soybeans provide farmers with yet another option to drive and protect their yield potential with triple-stacked tolerance to dicamba, glyphosate and glufosinate.



PRE Application:
XtendiMax® herbicide with VaporGrip® Technology (22 fl oz/A)
+ Sonic® herbicide (4 fl oz/A)

Renville, MN, with predominant weed species: Glyphosate-resistant waterhemp
Planting Date: 5/1/2020 | Application Date: 5/2/2020
Photos Taken: Roughly 4 weeks after the PRE on 6/12/2020




¹ Based on approved EPA herbicide labels for the herbicides recommended for use in each system as of 10/10/2019. Includes XtendFlex® soybeans, XtendiMax® herbicide with VaporGrip® Technology (a restricted use pesticide), Roundup PowerMAX® herbicide and Liberty® herbicide.

² Results may vary, depending on rainfall and soil type. Always use dicamba with residual herbicides in pre-emergence and postemergence applications that have different, effective sites of action, along with other Diversified Weed Management Practices.

Rating Scale: 1 - 5, 5 = Best, (-) = Not Rated, S = Susceptible, MS = Moderately Susceptible, MR = Moderately Resistant, R = Resistant
Growth Habit: I = Indeterminate, D = Determinate • Salt: EXC = Excluder, INC = Includer, HET = Heterozygous

SOYBEAN AGRONOMICS CHART

 Brand	NEW	Relative Maturity	Herbicide Trait	Average Seeds/lb.	Standability	Emergence	Plant Height	Growth Habit	Growth Type	Flower Color	Pubescence Color	Pod Color	Hilum Color	Southern Root Knot	Frogeye Leaf Spot	Stem Canker	Salt	Phytophthora Root Rot	Soybean Cyst Nematode	Sudden Death Syndrome
XTENDFLEX® SOYBEANS																				
USG 7394XFS	NEW	3.9	RR2XF/STS	2,500	3	4	Medium-Tall	I	Semi-Bushy	Purple	Light Tawny	Brown	Black	S	MR	R	INC	MR	R3, MR14	MR
USG 7434XF	NEW	4.3	RR2XF	3,200	4	4	Medium	I	Semi-Bushy	White	Gray	Tan	Buff	S	MR	R	INC	Rps1K	R3, MR14	MR
USG 7463XFS		4.6	RR2XF/STS	3,000	4	4	Medium	I	Semi-Bushy	Purple	Gray	Brown	Imp. Black	S	MR	R	INC	Rps1c	S	MR
USG 7461XFS		4.6	RR2XF/STS	3,000	3	4	Tall	I	Semi-Bushy	Purple	Light Tawny	Brown	Black	S	S	R	HET	Rps1c	R	MR
USG 7472XFS		4.7	RR2XF/STS	2,500	4	5	Medium-Tall	I	Semi-Bushy	Purple	Gray	Brown	Imp. Black	S	MR	R	EXC	Rps1k	R3, MR14	MR
USG 7474XFS	NEW	4.7	RR2XF/STS	2,700	4	4	Medium-Tall	I	Semi-Bushy	Purple	Light Tawny	Tan	Black	S	-	R	EXC	HRps1c	R3, MR14	MR
USG 7483XFS		4.8	RR2XF/STS	3,200	4	4	Medium	I	Semi-Bushy	White	Light Tawny	Brown	Black	S	MR	R	INC	Rps1a	R3, MR14	MR
USG 7491XFS		4.9	RR2XF/STS	2,900	4	5	Medium-Tall	I	Semi-Bushy	White	Light Tawny	Brown	Black	S	S	R	INC	Rps1a	R	MS
USG 7503XF		5.0	RR2XF	2,600	4	5	Medium-Tall	I	Semi-Bushy	Purple	Gray	Brown	Imp. Black	S	MR	R	INC	Rps1a	S	MR
USG 7543XF		5.4	RR2XF	3,100	5	5	Medium	I	Semi-Bushy	Purple	Gray	Brown	Imp. Black	S	R	R	INC	Rps1a	S	MR
USG 7562XF		5.6	RR2XF	3,000	5	4	Medium	D	Semi-Bushy	White	Tawny	Brown	Black	MS	MR	R	INC	S	MR3, MS14	MR
USG 7584XF	NEW	5.8	RR2XF	3,300	4	4	Medium	I	Semi-Bushy	White	Gray	Tan	Buff	S	MR	R	INC	Rps1k	S	R
USG 7633XF		6.3	RR2XF	3,000	4	5	Medium	D	Semi-Bushy	White	Light Tawny	Brown	Black	MS	MR	MR	INC	S	MR3	MS
USG 7682XF		6.8	RR2XF	3,000	3	5	Medium	D	Semi-Bushy	Purple	Tawny	Tan	Black	S	MS	R	EXC	S	S	MS
ROUNDUP READY 2 XTEND® SOYBEANS																				
USG 7461XTS		4.6	RR2X/STS	3,000	4	5	Medium-Tall	I	Semi-Bushy	Purple	Light Tawny	Brown	Black	S	R	R	INC	Rps1a	R3, MR14	MR
USG 7489XT		4.8	RR2X	2,400	5	5	Medium	I	Semi-Bushy	Purple	Light Tawny	Tan	Black	S	MR	R	EXC	Rps1a	R3, MR14	MR
USG 7487XTS		4.8	RR2X/STS	3,000	4	5	Tall	I	Narrow	Purple	Gray	Tan	Imp. Black	S	MS	R	HET	Rps1c	R3, MR14	MR
USG 7496XTS		4.9	RR2X/STS	3,000	4	5	Medium-Tall	I	Semi-Bushy	Purple	Light Tawny	Brown	Black	MR	MR	R	INC	Rps1a	R3, MR14	MR
USG 7529XTS		5.2	RR2X/STS	2,900	4	5	Tall	I	Narrow	White	Gray	Tan	Buff	MS	MR	R	INC	MS	S	MS
USG 7571XT		5.7	RR2X	2,900	3	4	Medium-Tall	D	Bushy	White	Tawny	Brown	Black	R	S	S	EXC	S	Resistant	MR
UNISOUTH GLYPHOSATE TOLERANT SOYBEANS																				
USG 7534GT	NEW	5.3	GLY	2,600	5	-	Medium-Short	D	Semi-Bushy	Purple	Gray	-	-	-	MS	R	TBD	S	MR3, MS2, 5	-
USG AllenGT		5.6	GLY	3,300	4	5	Medium	D	Semi-Bushy	White	Gray	Tan	Buff	MR	MR	R	INC	S	S	MR
USG 7732nGT		7.3	GLY	2,900	4	4	Medium	D	Semi-Bushy	Purple	Tawny	Tan	Black	R	S	R	INC	S	S	MR
CONVENTIONAL SOYBEANS																				
USG 4824V	NEW	4.8	Conv	2,500	4	4	Medium-Tall	D	Semi-Bushy	White	Tawny	-	Black	S	TBD	R	TBD	TBD	MR2, MR3, MS5	TBD
USG ELLIS		4.9	Conv	3,300	4	4	Short	D	Bushy	White	Gray	Tan	Buff	MR	MR	R	INC	S	S	S
USG 5618V		5.6	Conv	2,500	4	5	Medium	D	Semi-Bushy	White	Tawny	Tan	Black	S	R	R	INC	Rps1c	S	R

Rating Scale: 1 - 5, 5 = Best, S = Susceptible, MS = Moderately Susceptible, MR = Moderately Resistant, R = Resistant
 Growth Habit: I = Indeterminate, D = Determinate • Salt: EXC = Excluder, INC = Includer, HET = Heterozygous, TBD = To Be Determined

Brand	NEW	Relative Maturity	Herbicide Trait	Average Seeds/Lb.	Standability	Emergence	Average Height	Growth Habit	Growth Type	Flower Color	Pubescence Color	Pod Color	Hilum Color	Southern Root Knot	Frogeye Leaf Spot	Stem Canker	Salt	Phytophthora Root Rot	Soybean Cyst Nematode	Sudden Death Syndrome
ENLIST E3® SOYBEANS																				
USG 7420ETS		4.2	Enlist/STS	2,800	5	5	Medium	I	Semi-Bushy	White	Gray	Brown	Buff	S	MR	R	INC	S	R3, MR14	S
USG 7424ETS	NEW	4.2	Enlist/STS	2,850	4	5	Medium-Tall	I	Semi-Bushy	White	Light Tawny	Tan	Brown	S	MR	R	INC	Rps1k	R3, MR14	MR
USG 7431ET		4.3	Enlist	2,900	4	4	Medium	I	Semi-Bushy	White	Light Tawny	Brown	Brown	S	MR	R	INC	S	R3, MR14	MR
USG 7451ET		4.5	Enlist	3,250	4	5	Medium-Tall	I	Narrow	Purple	Gray	Tan	Imp. Black	MS	MR	R	INC	MS	S	MR
USG 7464ET	NEW	4.6	Enlist	2,800	3	4	Medium	I	Semi-Bushy	White	Light Tawny	Brown	Brown	MS	MR	MR	EXC	MR	R3, MR14	MR
USG 7472ETS		4.7	Enlist/STS	2,700	5	4	Medium	I	Semi-Bushy	White	Gray	Tan	Buff	S	MR	R	INC	Rps1a	S	MR
USG 7493ETS		4.9	Enlist/STS	2,900	4	4	Medium-Tall	I	Semi-Bushy	White	Gray	Tan	Buff	S	MR	R	EXC	MS	S	MR
USG 7494ETS	NEW	4.9	Enlist/STS	3,100	4	5	Medium-Tall	I	Semi-Bushy	White	Gray	Brown	Buff	S	MR	R	EXC	Rps1c	R3, MR14	MR
USG 7495ET	NEW	4.9	Enlist	3,200	4	5	Medium-Tall	I	Semi-Bushy	White	Light Tawny	Tan	Brown	R	R	R	INC	MS	R3, MR14	MR
USG 7514ET	NEW	5.1	Enlist	2,900	4	5	Medium-Tall	I	Bushy	White	Gray	Brown	Buff	S	MR	R	INC	Rps1c	R3, MR14	MR
USG 7542ET		5.4	Enlist	2,900	4	5	Tall	I	Semi-Bushy	Purple	Gray	Brown	Buff	MR	R	R	EXC	MR	R3	MR

Rating Scale: 1 - 5, 5 = Best, S = Susceptible, MS = Moderately Susceptible, MR = Moderately Resistant, R = Resistant
Growth Habit: I = Indeterminate, D = Determinate • Salt: EXC = Excluder, INC = Includer, HET = Heterozygous, TBD = To Be Determined

Bayer Company is a member of Excellence Through Stewardship® (ETS). Bayer products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Bayer's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. Commercialized products have been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from this product can only be exported to, or used, processed or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for this product. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. It is a violation of federal and state law to use any pesticide product other than in accordance with its labeling. Roundup Ready 2 Xtend® soybeans contain genes that confer tolerance to glyphosate and dicamba. Products with XtendFlex® Technology contains genes that confer tolerance to glyphosate, glufosinate and dicamba. Glyphosate will kill crops that are not tolerant to glyphosate. Dicamba will kill crops that are not tolerant to dicamba. Glufosinate will kill crops that are not tolerant to glufosinate. Contact your seed brand dealer or refer to the Bayer Technology Use Guide for recommended weed control programs.

Products with XtendFlex® Technology contains genes that confer tolerance to glyphosate, glufosinate and dicamba. Glyphosate will kill crops that are not tolerant to glyphosate. Dicamba will kill crops that are not tolerant to dicamba. Glufosinate will kill crops that are not tolerant to glufosinate. Contact your seed brand dealer or refer to the Bayer Technology Use Guide for recommended weed control programs.

LibertyLink®, **Roundup Ready 2 Yield®**, **ROUNDUP READY 2 XTEND SOYBEANS**, **Acceleron®**, Roundup Ready 2 Xtend®, Roundup Ready 2 Yield®, Roundup Ready PLUS®, Roundup®, Roundup Ready®, SR and Design®, VaporGrip®, XtendFlex® and XtendiMax® are trademarks of Bayer Group. LibertyLink® and the Water Droplet Design® is a trademark of BASF Corporation.

Performance may vary from location to location and from year to year, as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible.

Seed containing a patented trait can only be used to plant a single commercial crop. It is unlawful to save and replant Roundup Ready 2 Yield® soybeans, Roundup Ready 2 Xtend® soybeans, and XtendFlex® soybeans. Additional information and limitations on the use of these products are provided in the Technology Stewardship Agreement and the Bayer Technology Use Guide: tug.bayer.com. U.S. patents for Bayer technologies can be found at the following webpage: cs.bayerpatents.bayer.com

Corteva Agriscience is a member of Excellence Through Stewardship® (ETS). Corteva Agriscience products are commercialized in accordance with ETS Product Launch

Stewardship Guidance and in compliance with the Corteva Agriscience policies regarding stewardship of those products. In line with these guidelines, our product launch process for responsible launches of new products includes a longstanding process to evaluate export market information, value chain consultations, and regulatory functionality. Growers and end users must take all steps within their control to follow appropriate stewardship requirements and confirm their buyer's acceptance of the grain or other material being purchased. For more detailed information on the status of a trait or stack, please visit www.biotradestatus.com.

Seeds containing the Enlist, Herculex and PowerCore traits are protected under one or more U.S. patents which can be found at: www.traitstewardship.com. The purchase of these seed traits include a limited license to produce a single crop in the United States. The use of seed from such a crop or the progeny thereof for propagation or seed multiplication or for production or development of a hybrid or different variety of seed is strictly prohibited. You acknowledge and agree to be bound by the terms and conditions of the following documents in effect at the time of planting of this seed: (i) the Corteva Agriscience Technology Use Agreement and (ii) the Product Use Guides for all technologies in this seed, including the Herbicide Resistance Management (HRM), and Use requirements. To plant Enlist, Herculex and PowerCore seed, you must have a limited license from Corteva Agriscience (or other appropriate affiliates). In consideration of the foregoing, Corteva Agriscience grants to the Grower the limited license to use its technology to produce only a single commercial crop in the United States under the terms and conditions set forth in the Technology Use Agreement in effect at the time of planting of this seed.

Always read and follow herbicide label directions prior to use: Enlist® products contain the Enlist trait that provides crop safety for use of labeled over-the-top applications of glyphosate, glufosinate and 2,4-D herbicides featuring Colex-D® technology when applied according to label directions. Following burndown, the only 2,4-D containing herbicide products that may be used with Enlist® crops are products that feature Colex-D technology and are expressly labeled for use on Enlist crops. 2,4-D products that do not contain Colex-D technology are not authorized for use in conjunction with Enlist products.

Enlist Duo® and Enlist One® herbicides are not registered for sale or use in all states or counties. Contact your state pesticide regulatory agency to determine if a product is registered for sale or use in your area. Enlist Duo and Enlist One are the only 2,4-D products authorized for use with Enlist crops. Consult Enlist herbicide labels for weed species controlled. Always read and follow label directions. The transgenic soybean event in Enlist E3® soybeans is jointly developed and owned by Corteva Agriscience and M.S. Technologies, L.L.C.™ Enlist, Enlist E3, the Enlist E3 logo, and Colex-D are trademarks of Corteva Agriscience and its affiliated companies. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

Enlist E3® soybean seeds containing the Enlist® trait can only be used to plant a single commercial crop. It is unlawful to save and replant Enlist E3® soybeans. Additional information and limitations on the use of these products are provided in the Corteva Agriscience Technology Use Agreement and Enlist® Soybean Product Use Guide. U.S. patents for Corteva Agriscience technologies can be found at the following webpage: www.corteva.us/Resources/trait-stewardship.html

UNISOUTH GENETICS, INC.

WHEAT PRODUCTS



 Brand	NEW	Maturity	Heading	Height	Head Type	Seed/Lb.	Test Weight	Winter Hardiness	Standability	Tillering	BYDV	Stripe Rust	Leaf Rust	Glume Blotch	SBMV	Powdery Mildew	Scab	Septoria Leaf Blotch
USG 3000		Medium	Medium	Medium	Awnletted	14,000	3	2	3	4	4	3	1	3	2	3	6	3
USG 3118		Early	Early	Short	Awnletted	12,000	1	4	2	3	3	2	2	2	-	2	5	2
USG 3120		Medium-Early	Very Early	Medium-Short	Awned	12,000	2	2	2	6	-	1	1	5	1	6	5	-
USG 3234	NEW	Early	Medium	Medium	Smooth	12,500	2	2	1	2	3	3	3	3	4	4	3	4
USG 3316		Medium	Medium	Medium	Awned	14,000	4	2	2	4	3	6	4	2	3	4	2	3
USG 3329		Medium-Early	Late	Medium	Awned	11,500	5	1	3	4	3	2	4	3	2	2	2	3
USG 3352		Medium-Early	Medium	Medium-Tall	Awned	12,500	3	2	3	2	-	2	3	2	4	3	4	2
USG 3363		Medium-Early	Medium-Late	Medium-Tall	Awned	11,500	2	1	3	3	2	3	6	2	2	2	2	3
USG 3451		Medium	Medium-Early	Medium	Smooth	11,000	5	3	3	3	-	2	3	6	5	2	4	4
USG 3458		Medium-Early	Medium	Medium-Short	Smooth	12,000	6	2	2	5	2	2	4	2	3	2	5	2
USG 3463		Medium	Medium-Late	Medium	Awned	12,500	4	3	2	3	3	5	3	3	2	2	2	3
USG 3472		Medium	Medium-Late	Medium	Awned	11,000	4	2	2	3	2	2	2	3	2	3	2	2
USG 3536		Medium-Early	Late	Medium-Tall	Awned	11,500	4	3	2	6	3	1	3	3	2	3	2	2
USG 3574	NEW	Medium	Medium-Late	Medium-Short	Smooth	12,000	4	2	2	5	2	7	5	3	5	1	3	4
USG 3640		Medium	Medium	Medium	Awned	10,500	1	3	3	3	3	2	2	4	-	2	3	-
USG 3661		Medium	Medium	Medium-Short	Awnletted	13,000	2	2	2	3	-	6	3	2	4	1	4	6
USG 3673	NEW	Medium	Medium-Late	Medium	Smooth	14,000	3	3	3	4	3	3	2	4	4	3	2	3
USG 3752		Medium-Late	Medium	Medium-Tall	Awned	12,000	2	4	3	3	3	3	1	2	1	2	3	3
USG 3783		Medium-Late	Medium-Late	Medium	Awned	13,000	2	3	1	1	2	1	1	2	2	1	3	2
USG 3895		Medium	Medium-Late	Medium-Short	Awned	11,500	5	3	1	5	4	1	2	2	4	5	5	4

Rating Scale: 1 - 5, 1 = Best

USG 3352

Maturity	Medium-Early
Heading	Medium
Height	Medium-Tall
Head Type	Awned
Test Weight	3
Winter Hardiness	2
Leaf Rust	3
Stripe Rust	2
Powdery Mildew	3
Septoria Leaf Blotch	2
Scab	4
Seed/lb.	12,500

USG 3363

Maturity	Medium-Early
Heading	Medium-Late
Height	Medium-Tall
Head Type	Awned
Test Weight	2
Winter Hardiness	1
Leaf Rust	6
Stripe Rust	3
Powdery Mildew	2
Septoria Leaf Blotch	3
Scab	2
Seed/lb.	11,500

USG 3451

Maturity	Medium
Heading	Medium-Early
Height	Medium
Head Type	Smooth
Test Weight	5
Winter Hardiness	3
Leaf Rust	3
Stripe Rust	2
Powdery Mildew	2
Septoria Leaf Blotch	4
Scab	4
Seed/lb.	11,000

USG 3463

Maturity	Medium
Heading	Medium-Late
Height	Medium
Head Type	Awned
Test Weight	4
Winter Hardiness	3
Leaf Rust	3
Stripe Rust	5
Powdery Mildew	2
Septoria Leaf Blotch	3
Scab	2
Seed/lb.	12,500

USG 3472

Maturity	Medium
Heading	Medium-Late
Height	Medium
Head Type	Awned
Test Weight	4
Winter Hardiness	2
Leaf Rust	2
Stripe Rust	2
Powdery Mildew	3
Septoria Leaf Blotch	2
Scab	2
Seed/lb.	11,000

USG 3661

Maturity	Medium
Heading	Medium
Height	Medium-Short
Head Type	Awnletted
Test Weight	2
Winter Hardiness	2
Leaf Rust	3
Stripe Rust	6
Powdery Mildew	1
Septoria Leaf Blotch	6
Scab	4
Seed/lb.	13,000

USG 3752

Maturity	Medium-Late
Heading	Medium
Height	Medium-Tall
Head Type	Awned
Test Weight	2
Winter Hardiness	4
Leaf Rust	1
Stripe Rust	3
Powdery Mildew	2
Septoria Leaf Blotch	3
Scab	3
Seed/lb.	12,000

USG 3783

Maturity	Medium-Late
Heading	Medium-Late
Height	Medium
Head Type	Awned
Test Weight	2
Winter Hardiness	3
Leaf Rust	1
Stripe Rust	1
Powdery Mildew	1
Septoria Leaf Blotch	2
Scab	3
Seed/lb.	13,000

Rating Scale: 1 - 5, 1 = Best



UniSouth Genetics, Inc.

3205-C Highway 46 South
Dickson, TN 37055

800-505-3133 **phone**
931-996-4080 **fax**

www.usgseed.com

like/follow us on

